Divo soffitto singolo mains voltage halogen

Ceiling luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.

Ceiling luminaire Occhio Divo soffitto singolo consisting of


body Occhio soffitto singolo - different length and surfaces head Occhio Divo Occhio accessories


- different lighting effects and surfaces
- different mounting options and surfaces

IP20 ⊕ (€









material

aluminium, brass, steel, glass

surface

chrome, matt chrome body: chrome, matt chrome

length / travel

20 cm, 30 cm, 40 cm, 60 cm/120° 80 cm, 100 cm, 125 cm/90°

recommended lighting effect

A, B, C, E see p.2 cutsheet

light source

mains voltage halogen, operating voltage 230 V 60/70W, B15d Eco, energy efficiency grade D, lifetime 2.000 h

luminous flux (bulb)

60 W / 980 lm, 70 W / 1180 lm

color temperature / color rendering


2900 K / CRI 100


body and reflector head max. 1,5 kg

mounting accessories

for surface or recessed mounting, see p.4 cutsheet

Divo soffitto singolo recommended lighting effects





Divo AReflector head for spherical light, radial distribution


with satinised glass, the light output varies compared to the illustrations shown

efficiency of reflector head clear glass 96%

satinised glass 93%

material / surface clear or satinised, heat-resistant glass reflector aluminium fixture matt chrome or chrome





Divo B

reflector head for light with wide radiation to one side


with satinised glass, the light output varies compared to the illustrations shown

efficiency of reflector head

clear glass 69% satinised glass 66%

material / surface clear or satinised, heat-resistant glass reflector aluminium fixture matt chrome or chrome





reflector head for light with narrow radiation to one side


with satinised glass, the light output varies compared to the illustrations shown


efficiency of reflector head clear glass 54%

satinised glass 52%

material / surface

clear or satinised, heat-resistant glass reflector aluminium fixture matt chrome or chrome





reflector head for light with wide radiation to one and narrow radiation to the other side

with satinised glass the light output varies compared to the illustrations shown

efficiency of reflector head

clear glass 79% satinised glass 77%

material / surface

clear or satinised, heat-resistant glass reflector aluminium fixture matt chrome or chrome

cutsheet

Occhio

Divo soffitto singolo Item number

Item number _matt chrome M _chrome C

soffitto singolo			
	max. 70 W mains voltage halogen B15d	30 cm 40 cm 60 cm 80 cm 100 cm 125 cm	8P 12 00 _ 8P 13 00 _ 8P 14 00 _ 8P 15 00 _ 8P 16 00 _ 8P 17 00 _



Divo A		
	clear glass	8K 00 A1 M 8K 00 A1 C
	satinised glass	8K 00 A2 M 8K 00 A2 C
Divo B		
	clear glass	8K 00 B1 M 8K 00 B1 C
	satinised glass	8K 00 B2 M 8K 00 B2 C
Divo C		
	clear glass	8K 00 C1 M 8K 00 C1 C
	satinised glass	8K 00 C2 M 8K 00 C2 C
Divo E	clear glass	8K 00 E1 M 8K 00 E1 C
	satinised glass	8K 00 E2 M 8K 00 E2 C



flat box			
		for plastering or wall/ceiling box h 8 mm, ø 80 mm	8Z 00 00 _
	₽	180° turnable h 12 mm, ø 80 mm	8Z 00 01 _
spacing bo	x		
		for surface mounting h 22 mm, ø 80 mm	8Z 01 00 _
	•	with hole for external cable supply h 22 mm, ø 80 mm	8Z 03 00 _
	□ <i>⊋</i>	180° turnable h 26 mm, ø 80 mm	8Z 01 01 _