



Divo soffitto doppio mains voltage halogen

Ceiling luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.

Ceiling luminaire Occhio Divo soffitto doppio consisting of

body Occhio soffitto doppio - different length and surfaces
head Occhio Divo - different lighting effects and surfaces
Occhio accessories - different mounting options and surfaces



material

aluminium, brass, steel, glass

surface

head: chrome, matt chrome
body: chrome, matt chrome

length / travel

20 cm, 30 cm, 40 cm, 60 cm / 120°
80 cm, 100 cm, 125 cm / 90°

recommended lighting effects

A, B, C, E see p.2 cutsheet

light source

mains voltage halogen, operating voltage 230 V
2 x 60/70 W, B15d Eco,
energy efficiency grade D, lifetime 2.000 h

luminous flux (bulb)

60 W / 980 lm, 70 W / 1180 lm

color temperature / color rendering

2900 K / CRI 100



weight

body and reflector head max. 1,8 kg

mounting accessories

for surface or recessed mounting, see p.4 cutsheet

Divo soffitto doppio recommended lighting effect



Divo A

Reflector head for spherical light,
radial distribution



with satinised glass, the light output varies
compared to the illustrations shown

efficiency of reflector head

clear glass 96%
satinised glass 93%

material / surface

clear or satinised, heat-resistant glass
reflector aluminium
fixture matt chrome or chrome



Divo B

reflector head for light with wide radiation to
one side



with satinised glass, the light output varies
compared to the illustrations shown

efficiency of reflector head

clear glass 69%
satinised glass 66%

material / surface

clear or satinised, heat-resistant glass
reflector aluminium
fixture matt chrome or chrome



Divo C

reflector head for light with narrow radiation
to one side



with satinised glass, the light output varies
compared to the illustrations shown

efficiency of reflector head

clear glass 54%
satinised glass 52%

material / surface

clear or satinised, heat-resistant glass
reflector aluminium
fixture matt chrome or chrome



Divo E

reflector head for light with wide radiation to
one and narrow radiation to the other side

with satinised glass the light output varies
compared to the illustrations shown

efficiency of reflector head

clear glass 79%
satinised glass 77%


material / surface

clear or satinised, heat-resistant glass
reflector aluminium
fixture matt chrome or chrome

Divo soffitto doppio Item numbers

Item number
_matt chrome M
_chrome C

soffitto doppio




max. 2 x 70 W
mains voltage halogen B15d

20 cm	8P 21 00 _
30 cm	8P 22 00 _
40 cm	8P 23 00 _
60 cm	8P 24 00 _
80 cm	8P 25 00 _
100 cm	8P 26 00 _
125 cm	8P 27 00 _



Divo A




clear glass

8K 00 A1 M
8K 00 A1 C

satinised glass

8K 00 A2 M
8K 00 A2 C

Divo B




clear glass

8K 00 B1 M
8K 00 B1 C

satinised glass

8K 00 B2 M
8K 00 B2 C

Divo C




clear glass

8K 00 C1 M
8K 00 C1 C

satinised glass

8K 00 C2 M
8K 00 C2 C

Divo E



clear glass

8K 00 E1 M
8K 00 E1 C

satinised glass

8K 00 E2 M
8K 00 E2 C



flat box



for plastering or wall / ceiling box
h 8 mm, ø 80 mm

8Z 00 00 _



180° turnable
h 12 mm, ø 80 mm

8Z 00 01 _

spacing box



for surface mounting
h 22 mm, ø 80 mm

8Z 01 00 _



with hole for external cable supply
h 22 mm, ø 80 mm

8Z 03 00 _



180° turnable
h 26 mm, ø 80 mm

8Z 01 01 _