



Divo filo doppio mains voltage halogen

Suspended luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.

Suspended luminaire Occhio Divo filo doppio consisting of

- | | |
|-------------------------|---|
| body Occhio filo doppio | - different length and surfaces |
| head Occhio Divo | - different lighting effects and surfaces |
| Occhio accessories | - different mounting options and surfaces |



material

aluminium, brass, steel, glass

surface

head: chrome, matt chrome
body: chrome, matt chrome

length of cable

350 cm / 700 cm

recommended lighting effect

B, C, E see p.2 cutsheet

light source

mains voltage halogen, operating voltage 230 V
2 x 60 / 70 W, B15d Eco,
energy efficiency grade D, lifetime 2.000 h

luminous flux (bulb)

60 W / 980 lm, 70 W / 1180 lm

color temperature / color rendering

2900 K / CRI 100


weight

body and reflector head max. 1,5 kg

mounting accessories

for surface or recessed mounting, see p.4 cutsheet

Divo filo doppio recommended lighting effect



Divo B
reflector head for light with wide radiation to one side


with satinised glass, the light output varies compared to the illustrations shown

efficiency of reflector head

clear glass 69%
satinised glass 66%

material / surface

clear or satinised, heat-resistant glass
reflector aluminium
fixture matt chrome or chrome



Divo C
reflector head for light with narrow radiation to one side



with satinised glass, the light output varies compared to the illustrations shown

efficiency of reflector head

clear glass 54%
satinised glass 52%

material / surface

clear or satinised, heat-resistant glass
reflector aluminium
fixture matt chrome or chrome



Divo E
reflector head for light with wide radiation to one and narrow radiation to the other side

with satinised glass the light output varies compared to the illustrations shown

efficiency of reflector head

clear glass 79%
satinised glass 77%

material / surface


clear or satinised, heat-resistant glass
reflector aluminium
fixture matt chrome or chrome

cutsheet




Occhio

Divo filo doppio
Item number

Item number
_matt chrome M
_chrome C

filo doppio 	max. 2x70W mains voltage halogen B15d, cable length 3,5 m	8H 36 00 _
	version with 7 m cable length	8H 76 00 _
	version without mounting plate for canopy + cable guidance or track adapter	8H 32 00 _
	version with 7 m cable length	8H 72 00 _



Divo B 	clear glass	8K 00 B1 M 8K 00 B1 C
	satinised glass	8K 00 B2 M 8K 00 B2 C
Divo C 	clear glass	8K 00 C1 M 8K 00 C1 C
	satinised glass	8K 00 C2 M 8K 00 C2 C
Divo E 	clear glass	8K 00 E1 M 8K 00 E1 C
	satinised glass	8K 00 E2 M 8K 00 E2 C










--	--

Divo filo doppio
Item number

Item number
_matt chrome M
_chrome C



flat box  spacing box   canopy incl. 1 cable guidance  canopy including 2 cable guidance  cable guidance  track adapter* 	<p>for plastering or wall / ceiling box h 8 mm, ø 80 mm</p> <p>surface mounting h 22 mm, ø 80 mm</p> <p>with hole for external cable supply h 22 mm, ø 80 mm</p> <p>for 3 phase track</p> <p>silver white black</p>	<p>8Z 00 00 _</p> <p>8Z 01 00 _</p> <p>8Z 03 00 _</p> <p>8H 04 00 _</p> <p>8H 05 00 _</p> <p>8H 01 20 _</p> <p>4H 06 00 _M 4H 06 00 _W 4H 06 00 _S</p>
--	---	--

* also available in 1 phase track version for the same price, item no. 4F __ 00 __ 1