

Puro faro doppio low voltage halogen

Ceiling luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.


Ceiling luminaire Occhio Puro faro doppio consisting of

body Occhio faro doppio - different length and surfaces
head Occhio Puro - different lighting effects and surfaces
Occhio accessories - different mounting options and surfaces

IP 20     



Puro faro doppio C



material

aluminium, brass, steel, glass

surface

head: chrome, aluminium anodised
body: chrome, matt chrome

length/rotation angle

10 cm, 20 cm, 30 cm, 60 cm / 355°

recommended lighting effects

C, E, P, Q see p.2 cutsheet

light source

low voltage halogen, operating voltage 12 V
max. 2 x 60 W, GY6.35, energy efficiency grade B, lifetime 4.000 h

luminous flux (bulb)

35 W / 860 lm, 50 W / 1180 lm, 60 W / 1650 lm

color temperature / color rendering

3000 K / CRI 100

weight

body and reflector head max. 1,8 kg


mounting accessories

for surface or recessed mounting, see p.4 cutsheet

cutsheet

Occhio

Puro faro doppio
recommended lighting effect





Puro C
reflector head for directed light
in one direction

efficiency of reflector head
54%

beam angle
approx. 65°

material / surface
lense optical glass
reflector matt chrome or chrome
fixture matt chrome or chrome





Puro E
reflector head for diffuse light in one direction
and directed light in the other direction

efficiency of reflector head
76%

beam angle
approx. 65°



material / surface
lense optical glass
satinised, heat-resistant glass
reflector matt chrome or chrome
fixture matt chrome or chrome



Puro P
reflector head for diffuse light in a symmetrical
direction

efficiency of reflector head
55%

material / surface
reflector matt chrome or chrome
fixture matt chrome or chrome



Puro Q
reflector head for diffuse asymmetric light in
one direction

efficiency of reflector head
52%

material / surface
reflector matt chrome or chrome
fixture matt chrome or chrome

cutsheet

Puro faro doppio
Item numbers

Occhio

3 | 4

Item number
_matt chrome M
_chrome C

faro doppio


2 x max. 60 W
low voltage halogen GY6.35
turnable

10 cm
20 cm
30 cm
60 cm

```
7F 20 00 _
7F 21 00 _
7F 22 00 _
7F 24 00 _
```



Puro C



reflector sphere/ lense

7 K 00 41 _

Puro E



satinised glass / lense

7 K 00 44 _

Puro P



reflector tray, symmetrical

8K 00 21 _

Puro Q



reflector tray, asymmetrical
left version
right version

8K 00 22 _
8K 00 22 _ R



