



Puro terra mains voltage halogen

Floor luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.

Floor luminaire Occhio Puro terra consisting of

- body Occhio terra - different length and surfaceces
- head Occhio Puro - different lighting effects and surfaceces



material
aluminium, brass, steel, glass

surface
head: chrome, aluminium anodised
body: chrome, matt chrome
base: chrome, matt chrome, black or white high gloss surface (bianco, nero), matt black surface

length / travel
180 cm / 15°, base optional 360° rotatable

recommended lighting effects
B, E, Q see p.2 cutsheet

light source
mains voltage halogen, operating voltage 230 V
max. 150 W, B15d Eco,
(max. 100 W for lighting effect E)
energy efficiency grade D, lifetime 2.000 h

luminous flux (bulb)
60 W / 980 lm, 70 W / 1180 lm, 100 W / 1800 lm, 150 W / 2870 lm

color temperature / color rendering
3000 K / CRI 100


weight
body and reflector head max. 13 kg

cutsheet

Occhio

2|3



Puro terra
recommended lighting effect



Puro B
reflector head for diffuse light
in one direction

efficiency of reflector head
67%

material / surface
satinised, heat-resistant glass
reflector matt chrome or chrome
fixture matt chrome or chrome





Puro E
reflector head for diffuse light
in one direction and directed light
in the other direction

efficiency of reflector head
76%

beam angle
approx. 65°

material / surface
lens optical glass
satinised, heat-resistant glass
fixture matt chrome or chrome



Puro Q
reflector head for diffuse asymmetric light in
one direction

efficiency of reflector head
52%

material / surface
reflector matt chrome or chrome
fixture matt chrome or chrome


cutsheet

Occhio

3|3

Puro terra Item numbers

terra



max. 2 x 150W
mains voltage halogen B 15 d,
Occhio controller HV
(rocker switch),
excl. bulb, hight 180 cm, ø base 32 cm

version with turnable base

Base surface (cover changeable)	Item number _matt chrome M _chrome C
matt black	8R 79 00 MS F
matt chrome	8R 79 00 MM F
chrome	8R 79 00 CC F
bianco	8R 79 00 CB F
nero	8R 79 00 CN F
matt black	8R 79 00 MS T
matt chrome	8R 79 00 MM T
chrome	8R 79 00 CC T
bianco	8R 79 00 CB T
nero	8R 79 00 CN T




Puro B



reflector sphere/ satinised glass

Puro E



satinised glass / lense
(max. 100W) with diffusor*

Puro Q



reflector tray, asymmetrical
left version

right version

8K 00 12 M	
8K 00 12 C	
8K 00 44 M	
8K 00 44 C	
8K 00 22 M	
8K 00 22 C	
8K 00 22 M R	
8K 00 22 C R	

* Diffusor necessary for ideal light distribution when using clear mains voltage halogen B15d bulb and lens