

Puro tavolo


Table luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.

Table luminaire Occhio Puro tavolo consisting of

- body Occhio tavolo - different length and surfacees
- head Occhio Puro - different lighting effects and surfacees

IP 20

**material**

aluminium, brass, steel, glass

surface

head: chrome, aluminium anodised
body: chrome, matt chrome
base: chrome, matt chrome, black or white high gloss surface (bianco, nero), matt black surface

length / travel

60 cm, 80 cm / 40°, base optional 360° rotatable

recommended lighting effects

B, C, E see p.2 cutsheet

light source

low voltage halogen, operating voltage 12 V
max. 60 W, GY6.35, energy efficiency grade B, lifetime 4.000 h

luminous flux (bulb)

35 W / 860 lm, 50 W / 1180 lm, 60 W / 1650 lm

color temperature / color rendering

3000 K / CRI 100

weight

body and reflector head max. 7 kg

interface


Rocker switch element with dimmer and trafo, optional for dimming or touchdimming the lamp

cutsheet

Occhio

2|3



Puro tavolo recommended lighting effect



Puro B
reflector head for diffuse light
in one direction

efficiency of reflector head
67%

material / surface
satinised, heat-resistant glass
reflector matt chrome or chrome
fixture matt chrome or chrome





Puro C
reflector head for directed light
in one direction

efficiency of reflector head
54%

beam angle
approx. 65°

material / surface
lens optical glass
reflector matt chrome or chrome
fixture matt chrome or chrome



Puro E
reflector head for diffuse light
in one direction and directed light
in the other direction

efficiency of reflector head
76%

beam angle
approx. 65°

material / surface
lens optical glass
satinised, heat-resistant glass
fixture matt chrome or chrome

cutsheet

Occhio


3|3

Puro tavolo Item numbers

Base surface
(cover changeable)

Item number
_matt chrome M
_chrome C

tavolo



max. 60 W
low voltage halogen GY6.35,
Occhio controller NV (rocker switch)
incl. bulb 60 W IRC,
height 80 cm, ø base 24 cm

80 cm version with turnable base

max. 60 W
low voltage halogen GY6.35,
Occhio controller NV (rocker switch)
incl. bulb 60 W IRC,
height 60 cm, ø base 24 cm

60 cm version with turnable base

matt black	7T 75 00 MS F
matt chrome	7T 75 00 MM F
chrome	7T 75 00 CC F
bianco	7T 75 00 CB F
nero	7T 75 00 CN F

matt black	7T 75 00 MS T
matt chrome	7T 75 00 MM T
chrome	7T 75 00 CC T
bianco	7T 75 00 CB T
nero	7T 75 00 CN T

matt black	7T 74 00 MS F
matt chrome	7T 74 00 MM F
chrome	7T 74 00 CC F
bianco	7T 74 00 CB F
nero	7T 74 00 CN F

matt black	7T 74 00 MS T
matt chrome	7T 74 00 MM T
chrome	7T 74 00 CC T
bianco	7T 74 00 CB T
nero	7T 74 00 CN T



Puro B



satinised glass / reflector sphere

8 K 00 12 _

Puro C



reflector sphere /lense

7 K 00 41 _

Puro E



satinised glass /lense

7 K 00 44 _



Occhio sensorpad (optional)



pluggable into Occhio controller NV,
ø45 mm, length of cable 180 cm

matt chrome
chrome

7L 70 01 M
7L 70 01 C