

cutsheet

Occhio

1 | 3

Sento soffitto doppio mains voltage halogen

Ceiling luminaire - modular system consisting of body and head



Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.

Ceiling luminaire Occhio Sento soffitto doppio consisting of

- body Occhio soffitto doppio - different length and surfaces
- head Occhio Sento - different lighting effects and surfaces
- Occhio accessories - different mounting options and surfaces



Sento soffitto doppio E



Sento soffitto doppio E

material

aluminium, brass, steel, glass

surface

head: see p.2 cutsheet
body: chrome, matt chrome

length / travel

20 cm, 30 cm, 40 cm, 60 cm / 120°
80 cm, 100 cm, 125 cm / 90°

recommended lighting effects

B, C, D, E see p.2 cutsheet

light source

mains voltage halogen, operating voltage 230 V
max. 2 x 150 W, B15d Eco
energy efficiency grade D, lifetime 2.000 h

luminous flux (bulb)

60 W / 980 lm, 70 W / 1180 lm, 100 W / 1800 lm, 150 W / 2870 lm

color temperature / color rendering

2900 K / CRI 100

weight

body + head max. 2,3 kg

mounting accessories



for surface or recessed mounting, see p.4 cutsheet

cutsheet

Occhio

2 | 3

Sento soffitto doppio recommended lighting effects



Sento B (satinised glass / cover)
reflector head for diffuse light
in one direction

luminous efficiency

49%

glass



satinised, heat-resistant glass

ring / cover

chrome, matt chrome,
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome



Sento C (cover / lense)
reflector head for directed light
in one direction

luminous efficiency

56%

beam angle

approx. 85°

lense



optical glass

ring / cover

chrome, matt chrome,
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome



Sento D (lense / lense)
reflector head for directed light
in both directions

luminous efficiency

82%

beam angle

approx. 85°

lense



optical glass

ring

chrome, matt chrome,
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome



Sento E (satinised glass / lense)
reflector head for diffuse light in one and
directed light in the other direction

luminous efficiency

82%

beam angle

approx. 85°

glass

satinised, heat-resistant glass

lense

optical glass

ring

chrome, matt chrome,
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome

cutsheet


Occhio

3|3

Sento soffitto doppio Item numbers

Item number
_matt chrome M
_chrome C

soffitto doppio




max. 2 x 150 W
mains voltage halogen B15d

20 cm	8P 21 00 _
30 cm	8P 22 00 _
40 cm	8P 23 00 _
60 cm	8P 24 00 _
80 cm	8P 25 00 _
100 cm	8P 26 00 _
125 cm	8P 27 00 _




Sento B



satinised glass / cover

matt chrome	8K 00 72 M
chrome	8K 00 72 C
bianco	8K 00 72 B
nero	8K 00 72 N


Sento C



cover / lens
with diffusor*

matt chrome	8K 00 63 M
chrome	8K 00 63 C
bianco	8K 00 63 B
nero	8K 00 63 N


Sento D



lens / lens
with diffusor*

matt chrome	8K 00 64 M
chrome	8K 00 64 C
bianco	8K 00 64 B
nero	8K 00 64 N

Sento E



satinised glass / lens
with diffusor*

matt chrome	8K 00 75 M
chrome	8K 00 75 C
bianco	8K 00 75 B
nero	8K 00 75 N



flat box



for plastering and wall / ceiling box
h 8 mm, ø 80 mm

8Z 00 00 _



180° turnable
h 12 mm, ø 80 mm

8Z 00 01 _

spacing box



for surface mounting
h 22 mm, ø 80 mm

8Z 01 00 _



with hole for external cable supply
h 22 mm, ø 80 mm

8Z 03 00 _



180° turnable
h 26 mm, ø 80 mm

8Z 01 01 _

* Diffusor necessary for ideal light distribution when using clear mains voltage halogen B15d bulb and lens