

Sento soffitto singolo low voltage halogen

Ceiling luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.



Ceiling luminaire Occhio Sento soffitto singolo consisting of

- body Occhio soffitto singolo - different length and surfaces
- head Occhio Sento - different lighting effects and surfaces
- Occhio accessories - different mounting options and surfaces

IP 20     



Sento soffitto singolo E



Sento soffitto singolo E with color filter magenta

material
aluminium, brass, steel, glass

surface
head: see p.2 cutsheet
body: chrome, matt chrome

length / travel
20 cm, 30 cm, 40 cm, 60 cm / 120°
80 cm, 100 cm, 125 cm / 90°

recommended lighting effects
B, C, D, E see p.2 cutsheet

light source
low voltage halogen, operating voltage 12 V
max. 60 W IRC, GY6.35,
energy efficiency grade B, lifetime 4.000 h



luminous flux (bulb)
35 W / 860 lm, 50 W / 1180 lm, 60 W / 1650 lm

color temperature / colour rendering
3000 K / CRI 100

weight
body + head max. 1,5 kg

mounting accessories
for surface or recessed mounting, see p.3 cutsheet

Sento soffitto singolo recommended lighting effects



Sento B (satinised glass / cover)
reflector head for diffuse light
in one direction

luminous efficiency

49%

glass

satinised, heat-resistant glass

ring / cover



chrome, matt chrome

white or black glossy finished

(bianco, nero)

holder

chrome or matt chrome



Sento C (cover / lense)
reflector head for directed light
in one direction

luminous efficiency

56%

beam angle

approx. 85°

lense

optical glass

ring / cover



chrome, matt chrome,

white or black glossy finished

(bianco, nero)

holder

chrome or matt chrome



Sento D (lense / lense)
reflector head for directed light
in both directions

luminous efficiency

82%

beam angle

approx. 85°

lense

optical glass

ring



chrome, chrome matt,

white or black glossy finished

(bianco, nero)

holder

chrome oder chrome matt



Sento E (satinised glass / lense)
reflector head for diffuse light in one and
directed light in the other direction

luminous efficiency

82%

beam angle

approx. 85°

glass

satinised, heat-resistant glass

lense

optical glass

ring

chrome, matt chrome,

white or black glossy finished

(bianco, nero)

holder

chrome or matt chrome

30 cm	7P 12 00 _
40 cm	7P 13 00 _
60 cm	7P 14 00 _
80 cm	7P 15 00 _
100 cm	7P 16 00 _
125 cm	7P 17 00 _



matt chrome	8K 00 72 M
chrome	8K 00 72 C
bianco	8K 00 72 B
nero	8K 00 72 N

matt chrome	7K 00 63 M
chrome	7K 00 63 C
bianco	7K 00 63 B
nero	7K 00 63 N

matt chrome	7K 00 64 M
chrome	7K 00 64 C
bianco	7K 00 64 B
nero	7K 00 64 N

matt chrome	7K 00 75 M
chrome	7K 00 75 C
bianco	7K 00 75 B
nero	7K 00 75 N




Sento soffitto singolo
Item numbers

Item number
_matt chrome M
_chrome C




mounting transformer on site

flat box 	for plastering or wall / ceiling box h 8 mm, ø 80 mm	8Z 00 00 M 8Z 00 00 C
Electronic transformer max. 150 W 	for mounting in cavity walls / ceilings, trailing- or leading-edge dimmable, 50 – 150 W, l 153 mm, w 54 mm, h 36 mm	7Z 00 03 T
Electronic transformer max. 105 W 	for mounting in cavity walls / ceilings, trailing- or leading-edge dimmable, 35 – 105 W, l 107 mm, w 52 mm, h 30 mm	7Z 00 01 T
Electronic transformer max. 70 W 	for mounting in flush-mounted boxes (wall / ceiling), not for verticale on ceiling, not for plastering box ceiling, trailing- or leading-edge dimmable, 20 – 70 W, ø 53 mm, h 22 mm	7Z 00 02 T



transformer in surface mounted box

Box singolo 	mounting version incl. electronic transformer 35 – 75 W 176 mm, w 88 mm, h 28 mm	matt chrome 7Z 40 10 M F chrome 7Z 40 10 C F bianco / chrome 7Z 40 10 B F nero / chrome 7Z 40 10 N F
	track version	matt chrome 4Z 40 10 M F chrome 4Z 40 10 C F bianco / chrome 4Z 40 10 B F nero / chrome 4Z 40 10 N F