

cutsheet

Occhio

1 | 3

Sento lettura low voltage halogen

Floor luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.


Floor luminaire Occhio Sento lettura consisting of

- body Occhio lettura - different length and surfaces
- head Occhio Sento - different lighting effects and surfaces

IP20     



Sento lettura E



Sento lettura E

material
aluminium, brass, steel, glass

surface
head: chrome, see p.2 cutsheet
body: chrome, matt chrome
base: chrome, matt chrome, black or white high gloss surface (bianco, nero), matt black surface

length / travel
125 cm / 20°, 160 cm / 15°, base optional 360° turnable

recommended lighting effects
B, C, E see p.2 cutsheet

light source
low voltage halogen, operating voltage 12V,
max. 60 W, GY6.35, energy efficiency grade B, lifetime 4.000 h

luminous flux (bulb)
35 W / 860lm, 50 W / 1180lm, 60 W / 1650 lm

uminous color / color rendering
3000 K / CRI 100

weight
body + head + base max. 8,2 kg



interface
rocker switch element with dimmer and trafo, optional
for dimming or touchdimming the luminaire

cutsheet

Occhio

2 | 3

Sento lettura recommended lighting effects



Sento B (satinised glass / cover)
reflector head for diffuse light
in one direction

luminous efficiency

49%

glass



satinised, heat-resistant glass

ring / cover

chrome, matt chrome,
white or black glossy finished
(bianco, nero)

holder

chrome or matt chrome



Sento C (cover / lense)
reflector head for directed light
in one direction

luminous efficiency

56%

beam angle

approx. 85°

lense


optical glass

ring / cover

chrome, matt chrome,
white or black glossy finished
(bianco, nero)

holder

chrome or matt chrome



Sento E (satinised glass / lense)
reflector head for diffuse light in one and
directed light in the other direction

luminous efficiency

82%

beam angle

approx. 85°

glass

satinised, heat-resistant glass

lense

optical glass

ring

chrome, matt chrome,
white or black glossy finished
(bianco, nero)

holder


chrome or matt chrome

cutsheet


Occhio

3 | 3

Sento lettura Item numbers

	Base surface (cover changeable)	Item number _matt chrome M _chrome C
lettura  max. 60 W low voltage halogen GY6.35, Occhio controller NV (rocker switch), incl. bulb 60 W IRC, height 160 cm, ø base 27 cm 160 cm version with turnable base max. 60 W low voltage halogen GY6.35, Occhio controller NV (rocker switch), incl. bulb 60 W IRC, height 125 cm, ø base 27 cm 125 cm version with turnable base	matt black 7L 78 00 MS F matt chrome 7L 78 00 MM F chrome 7L 78 00 CC F bianco 7L 78 00 CB F nero 7L 78 00 CN F matt black 7L 78 00 MS T matt chrome 7L 78 00 MM T chrome 7L 78 00 CC T bianco 7L 78 00 CB T nero 7L 78 00 CN T matt black 7L 77 00 MS F matt chrome 7L 77 00 MM F chrome 7L 77 00 CC F bianco 7L 77 00 CB F nero 7L 77 00 CN F matt black 7L 77 00 MS T matt chrome 7L 77 00 MM T chrome 7L 77 00 CC T bianco 7L 77 00 CB T nero 7L 77 00 CN T	



Sento B  satinised glass / cover	matt chrome 8K 00 72 M chrome 8K 00 72 C bianco 8K 00 72 B nero 8K 00 72 N	
Sento C  cover / lens	matt chrome 7K 00 63 M chrome 7K 00 63 C bianco 7K 00 63 B nero 7K 00 63 N	
Sento E  satinised glass / lens	matt chrome 7K 00 75 M chrome 7K 00 75 C bianco 7K 00 75 B nero 7K 00 75 N	



Occhio sensorpad (optional)  pluggable into Occhio controller NV, ø45 mm, cable length 180 cm		7L 70 01 _
---	--	------------