

cutsheet

Occhio

1 | 4


Sento filo singolo mains voltage halogen

Suspended luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.

Suspended luminaire Occhio Sento filo singolo consisting of

- | | |
|--------------------------|---|
| body Occhio filo singolo | - different length and surfaces |
| head Occhio Sento | - different lighting effects and surfaces |
| Occhio accessories | - different mounting options and surfaces |



material
aluminium, brass, steel, glass

surface
head: see p.2 cutsheet
body: chrome, matt chrome

length
cable length 350 cm or 700 cm

recommended lighting effects
A, B, C, E see p.2 cutsheet

light source
mains voltage halogen, operating voltage 230 V
max. 100 W, B15d Eco,
energy efficiency grade D, lifetime 2.000 h

luminous flux (bulb)
60 W / 980 lm, 70 W / 1180 lm, 100 W / 1800 lm

color temperature / color rendering
2900 K / CRI 100

weight
body + head max. 1,3 kg



mounting accessories
for surface or recessed mounting, see p.4 cutsheet

cutsheet

Occhio

2 | 4

Sento filo singolo recommended lighting effects



Sento A (satinised glass / satinised glass)
reflector head for diffuse light
in both directions

luminous efficiency

79%

glass



satinised, heat-resistant glass

ring / cover

chrome, matt chrome
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome



Sento B (satinised glass / cover)
reflector head for diffuse light
in one direction

luminous efficiency

49%

glass


satinised, heat-resistant glass

ring / cover

chrome, matt chrome
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome



Sento C (cover / lense)
reflector head for directed light
in one direction

luminous efficiency

56%

beam angle

approx. 85°

lense


optical glass

ring / cover

chrome, matt chrome,
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome



Sento E (glass matt / lense)
reflector head for diffuse light in one and
directed light in the other direction

luminous efficiency

82%

beam angle

approx. 85°

glass

satinised, heat-resistant glass

lense

optical glass

ring

chrome, matt chrome,
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome

cutsheet


Occhio

3 | 4

Sento filo singolo Item numbers

Item number
_matt chrome M
_chrome C

filo singolo



max. 100 W
mains voltage halogen B15d,
length of cable 3,5 m

version with 7 m cable length

version without mounting plate
for canopy + cable guidance
or track adapter

version with 7 m cable length

8H 35 00 _


8H 75 00 _

8H 31 00 _

8H 71 00 _




Sento A




satinised glass / satinised glass

Sento B




satinised glass / cover

Sento C



cover / lens
with diffusor*

Sento E



satinised glass / lens
with diffusor*

matt chrome	8K 00 71 M
chrome	8K 00 71 C
bianco	8K 00 71 B
nero	8K 00 71 N

matt chrome	8K 00 72 M
chrome	8K 00 72 C
bianco	8K 00 72 B
nero	8K 00 72 N

matt chrome	8K 00 63 M
chrome	8K 00 63 C
bianco	8K 00 63 B
nero	8K 00 63 N





matt chrome	8K 00 75 M
chrome	8K 00 75 C
bianco	8K 00 75 B
nero	8K 00 75 N



* Diffusor necessary for ideal light distribution when using clear mains voltage halogen B15d bulb and lens

Sento filo singolo
Item numbers

Item number
_matt chrome M
_chrome C

flat box  for plastering and wall / ceiling box h 8 mm, ø 80 mm	8Z 00 00 _
spacing box  for surface mounting h 22 mm, ø 80 mm	8Z 01 00 _
 with hole for external cable supply h 22 mm, ø 80 mm	8Z 03 00 _
Canopy incl. 1 cable guidance  	8H 04 00 _
Canopy incl. 1 cable guidance  	8H 05 00 _
Guidance 	8H 01 20 _
track adapter*  for 3 phase track silver white black	4H 06 00 _M 4H 06 00 _W 4H 06 00 _S

* also available in 1 phase track version for the same price, item no. 4F __ 00 __ 1