

Sento filo singolo low voltage halogen


Suspended luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.

Suspended luminaire Occhio Sento filo singolo consisting of

- body Occhio filo singolo - different length and surfaces
- head Occhio Sento - different lighting effects and surfaces
- Occhio accessories - different mounting options and surfaces

IP20     



material
aluminium, brass, steel, glass

surface
head: see p.2 cutsheet
body: chrome, matt chrome

length
cable length max. 200 cm

recommended lighting effects
A, B, C, E see p.2 cutsheet

light source
low voltage halogen, operating voltage 12 V
max. 60 W IRC, GY6.35,
energy efficiency grade B, lifetime 4.000 h

luminous flux (bulb)
35 W / 860 lm, 50 W / 1180 lm, 60 W / 1650 lm

color temperature / color rendering
3000 K / CRI 100

weight
body + head max. 1,3 kg



mounting accessories
for surface or recessed mounting, see p.4 cutsheet

cutsheet

Occhio

2 | 4

Sento filo singolo recommended lighting effects



Sento A (satinised glass / satinised glass)
reflector head for diffuse light
in both directions

luminous efficiency

79%

glass



satinised, heat-resistant glass

ring / cover

chrome, matt chrome
white or black glossy finished
(bianco, nero)

holder

chrome or matt chrome



Sento B (satinised glass / cover)
reflector head for diffuse light
in one direction

luminous efficiency

49%

glass


satinised, heat-resistant glass

ring / cover

chrome, matt chrome
white or black glossy finished
(bianco, nero)

holder

chrome or matt chrome



Sento C (cover / lense)
reflector head for directed light
in one direction

luminous efficiency

56%

beam angle

approx. 85°

lense


optical glass

ring / cover

chrome, matt chrome,
white or black glossy finished
(bianco, nero)

holder

chrome or matt chrome



Sento E (satinised glass / lense)
reflector head for diffuse light in one and
directed light in the other direction

luminous efficiency

82%

beam angle

approx. 85°

glass

satinised, heat-resistant glass

lense

optical glass

ring

chrome, matt chrome,
white or black glossy finished
(bianco, nero)

holder


chrome or matt chrome

cutsheet

Sento filo singolo
Item numbers

Item number
_matt chrome M
_chrome C

filo singolo



max. 60W
low voltage halogen, GY6.35
length of cable 2 m

7H 35 00 _




Sento A



satinised glass / satinised glass

matt chrome 8K 00 71 M
chrome 8K 00 71 C
bianco 8K 00 71 B
nero 8K 00 71 N

Sento B



satinised glass / cover

matt chrome 8K 00 72 M
chrome 8K 00 72 C
bianco 8K 00 72 B
nero 8K 00 72 N

Sento C



cover / lens

matt chrome 7K 00 63 M
chrome 7K 00 63 C
bianco 7K 00 63 B
nero 7K 00 63 N

Sento E



satinised glass / lens

matt chrome 7K 00 75 M
chrome 7K 00 75 C
bianco 7K 00 75 B
nero 7K 00 75 N




Sento filo singolo
Item numbers

Item number
_matt chrome M
_chrome C




mounting transformer on site

flat box 	for plastering or wall / ceiling box h 8 mm, ø 80 mm	8Z 00 00 M 8Z 00 00 C
Electronic transformer max. 150 W 	for mounting in cavity walls / ceilings, trailing- or leading-edge dimmable, 50 – 150 W, l 153 mm, w 54 mm, h 36 mm	7Z 00 03 T
Electronic transformer max. 105 W 	for mounting in cavity walls / ceilings, trailing- or leading-edge dimmable, 35 – 105 W, l 107 mm, w 52 mm, h 30 mm	7Z 00 01 T
Electronic transformer max. 70 W 	for mounting in flush-mounted boxes (wall / ceiling), not for verticale on ceiling, not for plastering box ceiling, trailing- or leading-edge dimmable, 20 – 70 W, ø 53 mm, h 22 mm	7Z 00 02 T



transformer in surface mounted box

Box singolo 	mounting version incl. electronic transformer 35 – 75 W 176 mm, w 88 mm, h 28 mm	matt chrome 7Z 40 10 M F chrome 7Z 40 10 C F bianco / chrome 7Z 40 10 B F nero / chrome 7Z 40 10 N F
	track version	matt chrome 4Z 40 10 M F chrome 4Z 40 10 C F bianco / chrome 4Z 40 10 B F nero / chrome 4Z 40 10 N F