

Sento soffitto due low voltage halogen

Suspended luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.


Suspended luminaire Occhio Sento soffitto due consisting of

- body Occhio soffitto due - different length and surfaces
- head Occhio Sento - different lighting effects and surfaces
- Occhio accessories - different mounting options and surfaces

IP 20     



Sento soffitto due E



Sento soffitto due E

material
aluminium, brass, steel, glass

surface
head: see p.2 cutsheet
body: chrome, chrome matt

length / travel
80 cm, 100 cm, 125 cm / 90°

recommended lighting effects
vv see p.2 cutsheet

light source
low voltage halogen, operating voltage 12 V
max. 2 x 60 W IRC, GY6.35,
energy efficiency grade B, lifetime 4.000 h



luminous flux (bulb)
35 W / 860 lm, 50 W / 1180 lm, 60 W / 1650 lm

color temperature / color rendering
3000 K / CRI 100

weight
body + head max. 3,4 kg

mounting accessories
for surface or recessed mounting, see p.3 cutsheet

Sento soffitto due recommended lighting effects



Sento A (satinised glass / satinised glass)
reflector head for diffuse light
in both directions

luminous efficiency

79%

glass



satinised, heat-resistant glass

ring / cover

chrome, matt chrome,
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome



Sento B (satinised glass / cover)
reflector head for diffuse light
in one direction

luminous efficiency

49%

glass


satinised, heat-resistant glass

ring / cover

chrome, matt chrome,
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome



Sento C (cover / lense)
reflector head for directed light
in one direction

luminous efficiency

56%

beam angle

approx. 85°

lense


optical glass

ring / cover

chrome, matt chrome,
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome



Sento E (satinised glass / lense)
reflector head for diffuse light in one and
directed light in the other direction

luminous efficiency

83%

beam angle

approx. 85°

glass

satinised, heat-resistant glass

lense

optical glass

ring

chrome, matt chrome,
white or black glossy finish
(bianco, nero)


holder

chrome or matt chrome

cutsheet

Sento soffitto due
Item numbers

Item number
_matt chrome M
_chrome C

soffitto due 	max. 2 x 60 W low voltage halogen, GY6.35	80 cm 100 cm 125 cm	7S 35 00 _ 7S 36 00 _ 7S 37 00 _
--	--	---------------------------	--



Sento A 	satinised glass /satinised glass	matt chrome chrome bianco nero	8K 00 71 M 8K 00 71 C 8K 00 71 B 8K 00 71 N
Sento B 	satinised glass /cover	matt chrome chrome bianco nero	8K 00 72 M 8K 00 72 C 8K 00 72 B 8K 00 72 N
Sento C 	cover / lens	matt chrome chrome bianco nero	7K 00 63 M 7K 00 63 C 7K 00 63 B 7K 00 63 N
Sento E 	satinised glass /lens	matt chrome chrome bianco nero	7K 00 75 M 7K 00 75 C 7K 00 75 B 7K 00 75 N




Sento soffitto due
Item numbers

Item number
_matt chrome M
_chrome C




mounting transformer on site

flat box 	for plastering or wall / ceiling box h 8 mm, ø 80 mm	8Z 00 00 M 8Z 00 00 C
Electronic transformer max. 150 W 	for mounting in cavity walls / ceilings, trailing- or leading-edge dimmable, 50 – 150 W, l 153 mm, w 54 mm, h 36 mm	7Z 00 03 T
Electronic transformer max. 105 W 	for mounting in cavity walls / ceilings, trailing- or leading-edge dimmable, 35 – 105 W, l 107 mm, w 52 mm, h 30 mm	7Z 00 01 T
Electronic transformer max. 70 W 	for mounting in flush-mounted boxes (wall / ceiling), not for verticale on ceiling, not for plastering box ceiling, trailing- or leading-edge dimmable, 20 – 70 W, ø 53 mm, h 22 mm	7Z 00 02 T



transformer in surface mounted box

Box due with 2 soffitto singolo body soffitto singolo see cutsheet ceiling lamp soffitto singolo		
	mounting version for 2 x soffitto singolo NV incl. 2 x electronic transformer 35 – 75 W l 304 mm, w 88 mm, h 36 mm	matt chrome 7Z 90 2 00 M F chrome 7Z 90 2 00 C F bianco / chrome 7Z 90 2 00 B F nero / chrome 7Z 90 2 00 N F
	track version	matt chrome 4Z 90 2 00 M F chrome 4Z 90 2 00 C F bianco / chrome 4Z 90 2 00 B F nero / chrome 4Z 90 2 00 N F