



Sento letto mains voltage halogen

Wall luminaire - modular system consisting of body and head

Thanks to its unique modularity the Occhio head-body system delivers impressive lighting solutions for your room. For different lighting effects diverse, turnable reflector heads are available, which can be easily substituted at any time thanks to a simple plug-in mechanism. The diverse wall and ceiling boxes allow for all recessed and surface mounting options.

Wall luminaire Occhio Sento letto consisting of

- body Occhio letto - different surfaces
- head Occhio Sento - different lighting effects and surfaces
- Occhio accessories - different mounting options and surfaces



material
aluminium, brass, steel, glass

surface
head: see p.2 cutsheet
body: chrome, chrome matt

length / travel
20 cm / 105°, 30 cm / 115°, 40 cm / 140° and 60 cm / 140°

recommended lighting effects
B, C, E see p.2 cutsheet

light source
mains voltage halogen, operating voltage 230 V
60/70W, B15d Eco,
energy efficiency grade D, life time 2.000 h

luminous flux (bulb)
60 W / 980 lm, 70 W / 1180 lm

uminous color / color rendering
2900 K / CRI 100

weight
body + head max. 1,6 kg



mounting accessories
for surface or recessed mounting, see p.3 cutsheet

cutsheet

Occhio

2 | 3

Sento letto recommended lighting effects



Sento B (satinised glass / cover)
reflector head for diffuse light
in one direction

luminous efficiency

49%

glass



satinised, heat-resistant glass

ring / cover

chrome, matt chrome
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome



Sento C (cover / lense)
reflector head for directed light
in one direction

luminous efficiency

56%

beam angle

approx. 85°

lense


optical glass

ring / cover

chrome, matt chrome,
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome



Sento E (satinised glass / lense)
reflector head for diffuse light in one and
directed light in the other direction

luminous efficiency

82%

beam angle

approx. 85°

glass

satinised, heat-resistant glass

lense

optical glass

ring

chrome, matt chrome,
white or black glossy finish
(bianco, nero)

holder

chrome or matt chrome

cutsheet


Occhio

3|3

Sento letto Item numbers

Item number
_matt chrome M
_chrome C

letto



max. 75W
mains voltage halogen B15d

20 cm	8B 11 00 _ L/R
30 cm	8B 12 00 _ L/R
40 cm	8B 13 00 _ L/R
60 cm	8B 14 00 _ L/R




Sento B



satinised glass / cover

matt chrome	8K 00 72 M
chrome	8K 00 72 C
bianco	8K 00 72 B
nero	8K 00 72 N


Sento C



cover / lens
with diffuser*

matt chrome	8K 00 63 M
chrome	8K 00 63 C
bianco	8K 00 63 B
nero	8K 00 63 N

Sento E




satinised glass / lens
with diffuser*

matt chrome	8K 00 75 M
chrome	8K 00 75 C
bianco	8K 00 75 B
nero	8K 00 75 N



flat box



for plastering or wall / ceiling box
h 8mm, ø 80mm

8Z 00 00 _

spacing box




for surface mounting
h 22mm, ø 80mm

8Z 01 00 _

with hole for external cable supply
h 22mm, ø 80mm

8Z 03 00 _

cord dimmer



with transparent connector cable,
cable length 150/150 cm,
for use with spacing box with
hole for external cable supply

8B 00 00 T

* Diffusor necessary for ideal light distribution when using clear mains voltage halogen B15d bulb and lens

status 08 / 2014 | subject to alterations and technical change | all dimensions in mm

Occhio GmbH | Wiener Platz 7 | 81667 München | Tel +49-89-44 77 86 30 | Fax +49-89-44 77 86 39 | info@occhio.de